Accessories of Pressure Gauge

Model No. Manifold Valve Series







3-WAY VALVE

5-WAY VALVE

Summary

Those accessories' performance and lifespan are dependent on selection of the gauge, correct installation and using method. Therefore, before installing a pressure gauge, it is important to select a proper accessory for the purpose of use. This manifold valve is to block fluid measurement temporarily when repairing, inspecting and fixing the pressure gauge. It is generally used in low pressure.

Purpose of Use

- When connecting valves and cocks
- In case of installing a pressure gauge in a panel
- When attaching to a main steam line

Production Specification

- Materials
 - · Brass
 - · Stainless Steel
- ▶ Connection

Material	Valve
STS	NPT1/2

- ► Test Pressure · 25 MPa
- Maximum Working Pressure
- · 15 MPa

 Maximum Working Tomporatus
- ➤ Maximum Working Temperature · 200 °C

Product Specification

- + Body
- · Steel · · · STS 316
- + Stopper
 - · Steel · · · STS 316
- + Gasket-Outlet
 · Steel · · · STS 316

- + Joint
 - · Steel · · · STS 316
- + Washer
 - · Steel · · · STS 316
- + Gasket-Inlet · Steel · · · Valqua 1500


- + Rinc
- · Steel · · · STS 304
- + Nut
- · Steel · · · SS41 (Ni-plating)

Accessories of Pressure Gauge


Model No. Manifold Valve Series

3-Way Equalizing Valve

Model No. | SS-3W3



Model No. | SS-3W4 3-WAY VALVE



Model No. | SS-5W 5-WAY VALVE

